

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 10542904:19200
DOCUMENT NUMBER : F 10542904:19200
SPECIFICATION : MIL-A-2550:NCAGE
NATIONAL STOCK NO : 1320011105489
BASE

REQUEST/PRON ID: HI3M1023M2

TDPL COVER SHEET

RELEASED BY:

1. MANUFACTURE AND ACCEPTANCE INSPECTION OF THE ABOVE MATERIAL SHALL BE IN ACCORDANCE WITH ALL DRAWINGS, SPECIFICATIONS AND OTHER TECHNICAL DATA LISTED IN THIS TDPL.

2. THIS TDPL IS COMPRISED OF THE FOLLOWING SECTIONS WHICH LIST THE DRAWINGS AND ASSOCIATED DOCUMENTS (WITH THEIR REVISION AND AMENDEMENT LEVELS) REQUIRED TO PRODUCE, PACKAGE AND INSPECT THE MATERIAL BEING PRODUCED. (NA INDICATES NOT APPLICABLE)

A. PRODUCT DRAWINGS AND ASSOCIATED LISTS

B. PACKAGING DRAWINGS AND DOCUMENTS

C. INSPECTION DRAWINGS AND DOCUMENTS

D. SPECIFICATIONS AND STANDARDS

E. HAZARDOUS COMPONENT SAFETY DATA STATEMENTS

F. OUTSTANDING APPROVED ENGINEERING CHANGES

G. TDPL NOTE LEGEND

FROM

TO

0001

0001

0002

0002

N/A

0003

0004

N/A

N/A

0005

0005

3. DRAWINGS/DOCUMENTS AND ASSOCIATED LISTS LISTED IN THE ABOVE TDPL SECTIONS ARE IDENTIFIED AS TO TYPE BY PREFIX CODES AS FOLLOWS:

NC: NON CATEGORIZED SPEC

PD: PACKAGING DATA SHEET

PE: PERFORMANCE SPEC

PK: PACKAGING SPEC

4. THE SPECIFICATIONS AND STANDARDS SECTION OF THE TDPL IS A COMPILATION OF ALL SPECIFICATIONS AND STANDARDS WHICH ARE ESSENTIAL FOR BIDDING AND MANUFACTURING PURPOSES. THE ABSENCE OF ANY SPECIFICATION OR STANDARD FROM THE LISTING WHICH IS OTHERWISE REFERRED TO IN ANY SPECIFICATION OR STANDARD LISTED THEREIN OR IS CALLED OUT ON A PRODUCT, PACKAGING OR INSPECTION DRAWING IS NOT TO BE CONSTRUED AS CONSTITUTING RELIEF FROM REQUIREMENTS OF THE SPECIFICATIONS. THE REVISION OR AMENDMENT FOR SUCH UNLISTED SPECIFICATIONS AND STANDARDS SHALL BE SPECIFIED IN THE LATEST ISSUE OF DOD INDEX OF SPECIFICATIONS AND STANDARDS IN EFFECT AS OF THE DATE OF THIS TDPL. SUPERCEDED SPECIFICATIONS AND STANDARDS WHICH MAYBE REFERENCED ON DRAWINGS ARE LISTED TOGETHER WITH THE APPROPRIATE SUPERCEDING SPECIFICATION OR STANDARD. WHEN INTERIM CHANGES TO SPECIFICATIONS AND STANDARDS ARE ISSUED (AMENDMENTS, NOTICES OR CHANGE NOTICES), ONLY THE LATEST ISSUE IS LISTED IN THE TDPL. WHERE THESE INTERIM CHANGES ARE NOT CUMULATIVE, ALL PREVIOUS ISSUES ALSO APPLY, UNLESS THE DOCUMENT ITSELF STATES OTHERWISE.

5. ALL REFERENCES ON DRAWINGS/DOCUMENTS AND ASSOCIATED LISTS TO PICATINNY, FRANKFORD OR ROCK ISLAND ARSENALS WILL BE CONSIDERED AS CHANGED TO COMMANDER, ARDEC, ATTN: AMSRD-AAR-AIC, PICATINNY , NJ 07806-5000

6. ALL REFERENCES TO PARTS LISTS ON US ARMY TANK AUTOMOTIVE COMMAND (TACOM) DRAWINGS SHALL BE DISREGARDED

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 10542904:19200
DOCUMENT NUMBER : F 10542904:19200
SPECIFICATION : MIL-A-2550:NCAGE
NATIONAL STOCK NO : 1320011105489
BASE

REQUEST/PRON ID: HI3M1023M2

TDPL COVER SHEET

RELEASED BY:

7. THE HIGHEST SECURITY CLASSIFICATION CONTAINED WITHIN THIS TECHNICAL DATA PACKAGE IS:

"N NON-CLASSIFIED

THE SECURITY CLASSIFICATION OF DRAWINGS/DOCUMENTS, ASSOCIATED LISTS AND SPECIFICATIONS/STANDARDS ARE SHOWN BY CODE UNDER THE SEC CL COLUMN.

8. DISTRIBUTION STATEMENT: THE HIGHEST DISTRIBUTION CODE CONTAINED WITHIN THIS TDPL IS:

"A DISTR STATEMENT A - UNLIMITED

THE DEFINITIONS OF DISTRIBUTION CODES ARE:

A: UNLIMITED

B: US GOVERNMENT (CONTROLLING DOD OFFICE)

C: GOVT AND CONTRACTORS (CONTROLLING DOD OFFICE)

D: DOD AND CONTRACTORS (CONTROLLING DOD OFFICE)

E: DOD ONLY (CONTROLLING DOD OFFICE)

F: REQUEST APPROVAL OF (CONTROLLING DOD OFFICE)

X: CERTIFIED CONTRACTORS (CONTROLLING DOD OFFICE)

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 10542904:19200
DOCUMENT NUMBER : F 10542904:19200
SPECIFICATION : MIL-A-2550:NCAGE
NATIONAL STOCK NO : 1320011105489
BASE

REQUEST/PRON ID: HI3M1023M2

PREFIX CODE	DRAWING/DOCUMENT SIZE CAGE NUMBER		-SHEET- NO OF	D C	REV SYM	DOCUMENT DATE	SEC	DOCUMENT TITLE	NOTE
----------------	--------------------------------------	--	------------------	--------	------------	------------------	-----	----------------	------

PRODUCT DRAWING AND ASSOCIATED LISTS

F	19200	10542904	001	0002	W	10/16/2001		BASE WITHOUT CAP,PROTECTOR	
F	19200	10542904	002	0002	W	10/16/2001		BASE WITHOUT CAP,PROTECTOR	
E	19200	12579607	001	0001	A B	10/18/1993		GEOMETRIC SYMBOLS F/ DIMENSION TOLERAN	
A	19200	9349698	001	0001	-	07/02/1982		INTERFACE CONTROL NOTES	REF

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 10542904:19200
DOCUMENT NUMBER : F 10542904:19200
SPECIFICATION : MIL-A-2550:NCAGE
NATIONAL STOCK NO : 1320011105489
BASE

REQUEST/PRON ID: HI3M1023M2

PREFIX CODE	DRAWING/DOCUMENT SIZE CAGE NUMBER	-SHEET- NO OF	D C	REV SYM	DOCUMENT DATE	SEC	DOCUMENT TITLE	NOTE
----------------	--------------------------------------	------------------	--------	------------	------------------	-----	----------------	------

PACKAGING DRAWINGS AND DOCUMENTS

PD	A	19200 10542904	001 0001	A A	04/14/1999		BASE WITHOUT CAP,PROTECTOR	
----	---	----------------	----------	-----	------------	--	----------------------------	--

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 10542904:19200
DOCUMENT NUMBER : F 10542904:19200
SPECIFICATION : MIL-A-2550:NCAGE
NATIONAL STOCK NO : 1320011105489
BASE

REQUEST/PRON ID: HI3M1023M2

QPL CODE	DOCUMENT NUMBER	D C	REV SYM	AMD NO.	CHG NO.	SUPPL NO.	DOCUMENT DATE	SEC	DOCUMENT TITLE	NOTE
SPECIFICATIONS AND STANDARDS										
	A-A-208	A	B		2		01/12/2000		INK, MARKING, STENCIL, OPAQUE/POROUS	*
	TT-I-1795				(REPLACED BY	A-A-208)			
	FED-STD-595	A	B		1		01/11/1994		COLORS USED IN GVT PROCUREMENT	*
	MIL-A-2550		B	1	1		02/09/1995		AMMUNITION, GENERAL SPECIFICATION FOR	*
	MIL-A-8625	A	F	1			09/15/2003		ANODIC COATINGS, F/ ALUMINUM ALLOY	*
	MIL-C-60536				(REPLACED BY	MIL-A-8625)			
	MIL-A-8625	A	F	1			09/15/2003		ANODIC COATINGS, F/ ALUMINUM ALLOY	*
Q	MIL-C-5541	A	E				11/30/1990		CHEMICAL CONVER COAT ALUMINUM	*
Q	MIL-DTL-11195		G				07/31/2003		ENAMEL, LUSTERLESS, FAST DRY	*
	MIL-E-11195				(REPLACED BY	MIL-DTL-11195)			
Q	MIL-DTL-11195		G				07/31/2003		ENAMEL, LUSTERLESS, FAST DRY	*
	MIL-L-11195				(REPLACED BY	MIL-DTL-11195)			
	MIL-DTL-117	A	H				04/30/2001		BAGS, HEAT-SEALABLE	*
	MIL-B-117				(REPLACED BY	MIL-DTL-117)			
Q	MIL-E-52891	A	B				01/28/1988		ENAMEL, LUSTERLESS, ZINC PHOSPHATE	*
	MIL-P-50345		F		1		08/18/1998		PJCTL, 155MM, M483A1-M718/M741-M692/M731 M	*
	MIL-STD-1168	A	B				06/10/1998		AMMO LOT NUMBER AND AMMO DATA	*
	MIL-STD-129		P		2		02/10/2004		STANDARD PRAC FOR MIL MARKINGS	*
	MIL-STD-171	A	E		1		11/19/2001		FINISHING OF METAL AND WOOD SURFACES	*
	MIL-STD-1916	A	-				04/01/1996		DOD PREFER METHODS F/ACCEPTANCE	*

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 10542904:19200
DOCUMENT NUMBER : F 10542904:19200
SPECIFICATION : MIL-A-2550:NCAGE
NATIONAL STOCK NO : 1320011105489
BASE

REQUEST/PRON ID: HI3M1023M2

QPL CODE	DOCUMENT NUMBER	D C	REV SYM	AMD NO.	CHG NO.	SUPPL NO.	DOCUMENT DATE	SEC	DOCUMENT TITLE	NOTE
-------------	--------------------	--------	------------	------------	------------	--------------	------------------	-----	----------------	------

SPECIFICATIONS AND STANDARDS

MIL-STD-2073-1	A	D		1			05/10/2002		DOD STAND PRAC F MILITARY PKGS	*
TT-C-490	A	E					07/22/2002		CLEANING METHODS FOR FERROUS SURFACES AN	*
ASME-B46.1	-						01/01/2002		SURFACE TEXTURE (SURFACE ROUGHNESS, WAVI	**
ANSI-B46.1				(REPLACED BY		ASME-B46.1)	
ASME-Y14.5M	A	-					03/13/1994		DIMENSIONING AND TOLERANCING	**
ANSI-Y14.5				(REPLACED BY		ASME-Y14.5M)	
ASME-Y14.6	-						01/01/2001		SCREW THREAD REPRESENTATION	**
MIL-STD-9				(REPLACED BY		ASME-Y14.6)	
ASTM-B247	A	A					10/10/2002		AL & AL ALY DIE FORGINGS,HAND FORG & ROL	**
ISO-9000	A	-					04/17/2001		QUALITY MANAGEMENT SYSTEMS	**
TT-E-516	A			3			10/03/2000		ENAMEL...CNX.. W/O REPLACEMENT	***

PICATINNY , NEW JERSEY 07806-5000

CAGE 19200

TECHNICAL DATA PACKAGE LIST: 10542904:19200
DOCUMENT NUMBER : F 10542904:19200
SPECIFICATION : MIL-A-2550:NCAGE
NATIONAL STOCK NO : 1320011105489
BASE

REQUEST/PRON ID: HI3M1023M2

TDPL NOTE LEGEND

DESCRIPTION OF SYMBOLS IN THE NOTE LEGEND

- - - - -

- * -Not Furnished - To be obtained from Defense Automated Printing Service
<http://dodssp.daps.mil/>
- ** -Not Furnished - Commercial specifications and standards may be
obtained from the publishers. They are not available from government
sources.
- *** -Not Furnished - Supplied only upon request submitted to the procuring
contract officer.
- REF - reference Drawing.
- Q - The Letter (Q) before the specification number indicates that
a qualified products list is required. The number of the QPL is the
same as the number of the specification
- ***** -MIL-STD-105, MIL-STD-414, MIL-STD-1235, ANSI-ASQC-Z1.4 and ASQC-Z1.4
are replaced by MIL-STD-1916. Unless otherwise stated in the
contract, Verification levels (VL) shall replace AQLs and shall be VL
IV for major characteristics and VL II for minor characteristics. All
other technical data conditions remain unchanged.
- CS - Computer software document - The print of this drawing included in the
technical data package is not to be used for manufacture. A computer software
program in disk or magnetic tape format will be furnished by the procuring
contracting officer upon request.